



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

City Reports for Week Ended Apr. 1, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	1		Newark, N. J.....	2	
Boston, Mass.....	1	1	New Bedford, Mass.....		1
Bridgeport, Conn.....	2	1	New Orleans, La.....	1	1
Chicago, Ill.....	1	3	New York, N. Y.....	10	5
Cincinnati, Ohio.....	2		Philadelphia, Pa.....	4	2
Cleveland, Ohio.....	1	1	Providence, R. I.....		1
Detroit, Mich.....		1	Salt Lake City, Utah.....	1	
Jersey City, N. J.....	1	1	San Diego, Cal.....	1	1
Johnstown, Pa.....	1		Toledo, Ohio.....	1	1
Lowell, Mass.....	1		Wheeling, W. Va.....		1
Milwaukee, Wis.....	1		Wilmington, Del.....	1	1

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1005.

ERYSIPELAS.

City Reports for Week Ended Apr. 1, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	3		Milwaukee, Wis.....	8	
Ann Arbor, Mich.....	1		Montclair, N. J.....	1	
Atlanta, Ga.....		1	Newark, N. J.....	3	
Baltimore, Md.....		1	New Castle, Pa.....	1	
Binghamton, N. Y.....	3		New York, N. Y.....		13
Boston, Mass.....		3	Norristown, Pa.....	2	
Bridgeport, Conn.....	5	1	Omaha, Nebr.....	4	
Brockton, Mass.....	1		Passaic, N. J.....	1	
Buffalo, N. Y.....	7		Philadelphia, Pa.....	21	15
Chicago, Ill.....	61	4	Pittsburgh, Pa.....	13	1
Cleveland, Ohio.....	7		Providence, R. I.....		1
Clinton, Mass.....	1		Racine, Wis.....	2	
Coffeyville, Kans.....	1		Reading, Pa.....	1	1
Detroit, Mich.....	12	3	St. Louis, Mo.....	9	
Hartford, Conn.....	2		St. Paul, Minn.....	3	1
Kalamazoo, Mich.....	1		San Francisco, Cal.....	1	1
Kansas City, Mo.....		3	Schenectady, N. Y.....	1	1
Lancaster, Pa.....	1		Springfield, Ill.....	1	
Little Rock, Ark.....	1		Taunton, Mass.....		1
Los Angeles, Cal.....	4		York, Pa.....	1	
Madison, Wis.....	1				

MALARIA.**City Reports for Week Ended Apr. 1, 1916.**

During the week ended April 1, 1916, malaria was reported by cities as follows: Boston, Mass., 1 case; New Orleans, La., 3 cases.

MEASLES.**Pennsylvania—Philadelphia.**

Senior Surg. Irwin reported that during the 14 days ended April 17, 1916, 1,016 cases of measles were notified in Philadelphia, Pa.

South Carolina—Charleston.

Surg. Pettus reported that during the period from March 25 to April 8, 1916, 28 cases of measles, with 1 death, were notified in Charleston, S. C.

Washington—Seattle.

Surg. Lloyd reported that during the week ended April 1, 1916, 241 cases of measles were notified in Seattle, Wash., making a total of 593 cases, with 1 death, reported since the beginning of the outbreak February 15, 1916.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 1005.

PELLAGRA.**City Reports for Week Ended Apr. 1, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Atlanta, Ga.....	1	Memphis, Tenn.....	2
Birmingham, Ala.....	2	2	Mobile, Ala.....	4
Charleston, S. C.....	1	New Orleans, La.....	1
Chicago, Ill.....	1	Washington, D. C.....	1	1

PNEUMONIA.**City Reports for Week Ended Apr. 1, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	1	5	Lorain, Ohio.....	1
Allentown, Pa.....	2	Los Angeles, Cal.....	4	2
Ann Arbor, Mich.....	3	3	Manchester, N. H.....	8	8
Auburn, N. Y.....	2	Muscatine, Iowa.....	2
Binghamton, N. Y.....	8	5	Newark, N. J.....	47	11
Birmingham, Ala.....	7	7	New Castle, Pa.....	1
Braddock, Pa.....	1	Newport, Ky.....	1	1
Chicago, Ill.....	262	89	Norfolk, Va.....	3	3
Cleveland, Ohio.....	57	28	Pasadena, Cal.....	1
Coffeyville, Kans.....	1	Philadelphia, Pa.....	101	50
Columbus, Ohio.....	1	2	Pittsburgh, Pa.....	21	31
Detroit, Mich.....	10	26	Reading, Pa.....	4	3
Duluth, Minn.....	1	1	Sacramento, Cal.....	3
Galesburg, Ill.....	1	1	Saginaw, Mich.....	1	1
Gardner, Mass.....	1	1	San Francisco, Cal.....	6	5
Grand Rapids, Mich.....	3	1	Schenectady, N. Y.....	4	2
Kalamazoo, Mich.....	3	1	Steelton, Pa.....	1	1
Kansas City, Kans.....	1	Steubenville, Ohio.....	1
Kansas City, Mo.....	16	15	Stockton, Cal.....	1	1
Lancaster, Pa.....	4	Wichita, Kans.....	4
Lincoln, Nebr.....	1	1	Wilksburg, Pa.....	3

POLIOMYELITIS (INFANTILE PARALYSIS).**City Reports for Week Ended Apr. 1, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.....	1	2	Newark, N. J.....	1
Chicago, Ill.....	1	New Orleans, La.....	1
Cleveland, Ohio.....	1	New York, N. Y.....	1
Gardner, Mass.....	1			

RABIES.**Idaho—Rabies in Animals.**

The State Board of Health of Idaho reported by telegraph April 17, 1916, that 2 cases of rabies in animals had been reported in Ada County, and 1 case in Franklin County, Idaho.

ROCKY MOUNTAIN SPOTTED FEVER.**Washington—Dayton.**

Collaborating Epidemiologist Tuttle reported by telegraph April 14, 1916, that one case of Rocky Mountain spotted fever had been notified in Dayton, Columbia County, Wash.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1005.

SMALLPOX.**Maryland—Salisbury.**

Collaborating Epidemiologist Fulton reported by telegraph April 12, 1916, that 12 cases of smallpox had been notified at Salisbury, Wicomico County, Md.

Minnesota.

Collaborating Epidemiologist Bracken reported by telegraph that during the week ended April 15, 1916, 4 new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Chippewa County, Maynard, 1; Mower County, Austin, 1; Morrison County, Randall, 12; Yellow Medicine County, Minnesota Falls Township, 1.

Wyoming—Sublet.

Dr. W. A. Wyman, secretary of the State Board of Health of Wyoming, reported by telegraph April 18, 1916, that 10 cases of smallpox had been notified at Sublet, Lincoln County, Wyo.

SMALLPOX—Continued.

City Reports for Week Ended Apr. 1, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Butte, Mont.....	1	Lincoln, Nebr.....	4
Chicago, Ill.....	2	Los Angeles, Cal.....	1
Coffeyville, Kans.....	1	Nashville, Tenn.....	1
Danville, Ill.....	1	New Orleans, La.....	6
Davenport, Iowa.....	26	Oklahoma City, Okla.....	6
Detroit, Mich.....	3	1	Portsmouth, Va.....	1
El Paso, Tex.....	2	1	Rock Island, Ill.....	5
Evansville, Ind.....	9	St. Paul, Minn.....	6
Fitchburg, Mass.....	1	Springfield, Ill.....	5
Galesburg, Ill.....	2	Tacoma, Wash.....	1
Galveston, Tex.....	1	Tampa, Fla.....	1
Kansas City, Kans.....	5	Toledo, Ohio.....	6
Kansas City, Mo.....	5	Wichita, Kans.....	4

TETANUS.

City Reports for Week Ended Apr. 1, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Charleston, S. C.....	1	St. Louis, Mo.....	1	1
Chicago, Ill.....	1	Woburn, Mass.....	1
Los Angeles, Cal.....	1			

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1005.

TYPHOID FEVER.

City Reports for Week Ended Apr. 1, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Allentown, Pa.....	2	Milwaukee, Wis.....	18	7
Ann Arbor, Mich.....	7	Nashville, Tenn.....	2	1
Atlanta, Ga.....	2	Newark, N. J.....	2	1
Atlantic City, N. J.....	1	New Castle, Pa.....	2
Baltimore, Md.....	7	New Haven, Conn.....	1
Bayonne, N. J.....	1	New Orleans, La.....	5
Boston, Mass.....	4	Newton, Mass.....	1
Bridgeport, Conn.....	1	New York, N. Y.....	20
Buffalo, N. Y.....	5	North Adams, Mass.....	1
Camden, N. J.....	1	Oakland, Cal.....	1
Charleston, S. C.....	1	Philadelphia, Pa.....	6	2
Chicago, Ill.....	17	3	Pittsburgh, Pa.....	3
Cincinnati, Ohio.....	2	1	Portland, Oreg.....	1
Cleveland, Ohio.....	1	Portsmouth, Va.....	1
Concord, N. H.....	1	Providence, R. I.....	1
Covington, Ky.....	1	1	Saginaw, Mich.....	2	2
Detroit, Mich.....	4	1	St. Louis, Mo.....	4	1
Dubuque, Iowa.....	2	St. Paul, Minn.....	1
El Paso, Tex.....	1	Salt Lake City, Utah.....	1
Erie, Pa.....	2	San Francisco, Cal.....	3
Evansville, Ind.....	1	Schenectady, N. Y.....	1
Galveston, Tex.....	7	Stockton, Cal.....	1
Grand Rapids, Mich.....	5	1	Syracuse, N. Y.....	3
Harrisburg, Pa.....	1	Tampa, Fla.....	1	1
Jersey City, N. J.....	1	Toledo, Ohio.....	2	1
Kansas City, Mo.....	1	Trenton, N. J.....	1
Lancaster, Pa.....	1	Washington, D. C.....	6
Lincoln, Nebr.....	1	Wheeling, W. Va.....	1
Los Angeles, Cal.....	1	Williamsport, Pa.....	4
Lowell, Mass.....	1	Wilmington, Del.....	1	1
Lynn, Mass.....	1	Zanesville, Ohio.....	1
Memphis, Tenn.....	2	1			

TYPHUS FEVER.**New Mexico—Santa Rita.**

Senior Surg. Pierce reported that on April 11, 1916, 3 new cases of typhus fever, all in one family, were found in Santa Rita, N. Mex.

Texas—El Paso and Hurley.

Senior Surg. Pierce reported that on April 9, 1916, 4 new cases of typhus fever, all being in members of one family, were found in El Paso, Tex., making a total of 34 cases of the disease reported in El Paso since the beginning of the present outbreak. Dr. Pierce also reported that one case of typhus fever had been found at Hurley, Tex., in the person of a Mexican girl who went to that place from El Paso about April 1, 1916.

City Report for Week Ended Apr. 1, 1916.

During the week ended April 1, 1916, 2 cases of typhus fever were reported at El Paso, Tex.

DIPHThERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.**City Reports for Week Ended Apr. 1, 1916.**

City.	Population as of July 1, 1915. (Es- timated by United States Census Bureau.)	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	584,605	244	15	3	268	3	51	2	18	23
Boston, Mass.	745,139	245	45	5	167	5	70	3	44	19
Chicago, Ill.	2,447,045	736	78	15	326	4	280	3	310	73
Cleveland, Ohio	656,975	231	29	4	204	3	38	2	38	18
Detroit, Mich.	554,717	266	41	5	181	9	43	21	22
New York, N. Y.	5,468,190	1,649	312	34	939	27	234	5	385	180
Philadelphia, Pa.	1,683,664	571	76	8	443	1	76	102	71
Pittsburgh, Pa.	571,984	219	16	2	287	3	13	25	18
St. Louis, Mo.	745,988	213	45	3	190	1	47	1	50	16
From 300,000 to 500,000 inhabit- ants:										
Buffalo, N. Y.	461,335	156	15	2	90	1	10	37	13
Cincinnati, Ohio	406,706	137	18	324	2	8	29	18
Jersey City, N. J.	300,133	90	6	81	24	32	8
Los Angeles, Cal.	465,367	102	18	1	40	7	68	18
Milwaukee, Wis.	428,062	134	14	1	260	8	40	1	15	10
Newark, N. J.	399,000	128	9	1	628	6	38	61	22
New Orleans, La.	366,484	146	18	3	2	32	22
San Francisco, Cal.	1,416,912	140	45	6	5	50	1	11
Washington, D. C.	358,679	8	1	110	14	35	18
From 200,000 to 300,000 inhabit- ants:										
Columbus, Ohio	208,722	69	3	32	7	5	3
Kansas City, Mo.	289,879	10	3	207	6	63	5	4
Portland, Oreg.	272,833	45	2	16	9	9	5
Providence, R. I.	250,025	115	12	5	72	4	27	1	12
St. Paul, Minn.	241,999	65	1	93	3	1	16	8
From 100,000 to 200,000 inhabit- ants:										
Atlanta, Ga.	184,873	65	2	2	14
Birmingham, Ala.	174,108	50	1	19	11
Bridgeport, Conn.	118,434	52	2	1	1	3	6	9

¹ Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Apr. 1, 1916—Continued.

City.	Population as of July 1, 1915. (Es- timated by United States Census Bureau.)	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 100,000 to 200,000 inhabit- ants—Continued.											
Cambridge, Mass.	111,669	35	5		10		9		2	7	
Camden, N. J.	104,549		5				5		5		
Fall River, Mass.	126,904		1	1	9		3		10	3	
Grand Rapids, Mich.	125,759	44	1		41		19		4	1	
Hartford, Conn.	108,969	49	10	1	173	3	1		9	1	
Lowell, Mass.	112,124	29	4		7				5	3	
Lynn, Mass.	100,316	25	2		49		14	1	5	2	
Memphis, Tenn.	146,113				11		1		9	7	
Nashville, Tenn.	115,978	37					1		4	3	
New Bedford, Mass.	114,694	41			1		1		2	2	
New Haven, Conn.	147,095		4	1	3		6		4	3	
Oakland, Cal.	190,803		5	1			6		7	3	
Omaha, Nebr.	135,455		5		2		35			5	
Reading, Pa.	105,094	43	1		33		12				
Richmond, Va.	154,674	73	3		394	1	2		10	5	
Salt Lake City, Utah	113,567	32	12		2		3			3	
Springfield, Mass.	103,216	33		1	60		10		1	5	
Syracuse, N. Y.	152,534	52	5		2		1			4	
Tacoma, Wash.	108,094		1		1						
Toledo, Ohio.	187,840	88	7	1	416	12	13		33	8	
Trenton, N. J.	109,212	45	8		2		6		2	1	
Worcester, Mass.	160,523	53	8		33		8		10	4	
From 50,000 to 100,000 inhabit- ants:											
Akron, Ohio.	82,958	38	11		46	1	15		1	1	
Allentown, Pa.	61,901	23	4		19		1		1		
Atlantic City, N. J.	55,806	8	2		2		1		12		
Bayonne, N. J.	67,582	10	3		15		3		6	1	
Berkeley, Cal.	54,879	9	1		1		2				
Binghamton, N. Y.	53,082	26	5	1	8		1		3		
Brockton, Mass.	65,746	22	4		22	2	7		2		
Canton, Ohio.	59,139	11	1		5	1	4			1	
Charleston, S. C.	60,427	26	1		13		1			3	
Chattanooga, Tenn.	58,576	17	1				6		1	4	
Covington, Ky.	56,520	14			53				1	1	
Duluth, Minn.	91,913	15			136	3	15		2	2	
El Paso, Tex.	51,936	50	4		11		5			8	
Erie, Pa.	73,798	44	6		173		1		13		
Evansville, Ind.	72,125	22	1		2		1		3	2	
Fort Wayne, Ind.	74,352	19	2		185					1	
Harrisburg, Pa.	70,754	25		1	365	2			14	1	
Hoboken, N. J.	76,104	21	3	1	30		11		7	2	
Johnstown, Pa.	66,585	35	1		40		2			1	
Kansas City, Kans.	96,854		3		63		6		3		
Lancaster, Pa.	50,269		5		25		2				
Lawrence, Mass.	98,197	37	5		20		4		5	5	
Little Rock, Ark.	55,158	28			1						
Malden, Mass.	50,067	13	3				6		1		
Manchester, N. H.	76,959	29	1		96				1	1	
Mobile, Ala.	56,536	24	1						6	4	
New Britain, Conn.	52,203		2		63				6	3	
Norfolk, Va.	88,076				22	1			3	3	
Oklahoma, Okla.	88,158	13			4		4				
Passaic, N. J.	69,010	25	1		21		5		4	4	
Pawtucket, R. I.	58,156	20	2		3		5				
Rockford, Ill.	53,761				35		3				
Sacramento, Cal.	61,806	12							6	3	
Saginaw, Mich.	54,815	15	1		115	1	1				
San Diego, Cal.	51,115	24	1		101		1	1	1	1	
Schenectady, N. Y.	95,265	22			15		2		7	2	
Somerville, Mass.	85,460	31		1	2		3	1	3	4	
South Bend, Ind.	67,030	11			101		3	1			
Springfield, Ill.	59,468		4	1	22					2	
Wichita, Kans.	67,847				7		6		4	1	
Wilkes-Barre, Pa.	75,218	20	2		8		2		7	2	
Wilmington, Del.	93,161		1		192	2	6				
York, Pa.	50,543		3		22				2		

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Apr. 1, 1916—Continued.

City.	Population as of July 1, 1915. (Es- timated by United States Census Bureau.)	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabitants:										
Alameda, Cal.	27,031	4							1	
Auburn, N. Y.	36,947	9	1		16				2	2
Brookline, Mass.	31,934	11			6		1		2	1
Butler, Pa.	26,587	4			15					
Butte, Mont.	42,918	21	1		101				2	4
Chelsea, Mass.	32,452	12			5		3		1	2
Chicopee, Mass.	28,688	10					1		3	1
Cumberland, Md.	25,564	6	1		79					
Danville, Ill.	31,544	14	1		168	2	3		2	2
Davenport, Iowa.	47,127						14			
Dubuque, Iowa.	39,650		2				3			4
East Orange, N. J.	41,155	7	1		23		3		2	
Elgin, Ill.	27,844	13			1					3
Everett, Mass.	38,307	8	2		2		2		5	1
Everett, Wash.	33,767	4			1		2		1	2
Fitchburgh, Mass.	41,144	8	2		18		1			
Galveston, Tex.	41,076	11								1
Green Bay, Wis.	28,689		1				1			
Haverhill, Mass.	47,774	18	3		5		3		3	2
Kalamazoo, Mich.	47,364	13	1		1		3		4	2
Kenosha, Wis.	30,319				2	1			2	
La Crosse, Wis.	31,522		1				1			4
Lexington, Ky.	39,703	8			4				3	3
Lincoln, Nebr.	46,028	19	1		3		5			
Lorain, Ohio.	35,662	28			23		3		1	
Lynchburg, Va.	32,385	9			94				4	1
Madison, Wis.	30,084				2					1
Medford, Mass.	25,737	8					1		1	1
Montclair, N. J.	25,550	3			37		1		3	
New Castle, Pa.	40,351		2		6					
Newport, Ky.	31,722	13								
Newport, R. I.	29,631	8	6	1	23		1			
Newton, Mass.	43,085	9			14				2	
Niagara Falls, N. Y.	36,240	15			107		3		2	
Norristown, Pa.	30,833	11	1		81					
Ogden, Utah.	30,466	5								
Orange, N. J.	32,524	20	4	2	91	1			3	1
Pasadena, Cal.	43,859								6	1
Perth Amboy, N. J.	39,725		2		1					
Pittsfield, Mass.	37,580		3		1		1		3	4
Portsmouth, Va.	38,610	15	2							2
Racine, Wis.	45,507	17	1		40		10	1	2	1
Roanoke, Va.	41,929	16	2		7					4
Rock Island, Ill.	27,961								2	
San Jose, Cal.	37,994	9	1							1
Steubenville, Ohio.	26,631	17	1		36					
Stockton, Cal.	34,508	8	1						2	2
Superior, Wis.	45,285	7	3		1		1			1
Taunton, Mass.	35,957	18			2				2	4
Waltham, Mass.	30,129	8					3	1		1
West Hoboken, N. J.	41,893	3	1		1		2		7	
Wheeling, W. Va.	43,097	15	2		119				1	1
Williamsport, Pa.	33,495	12	1		2				3	
Zanesville, Ohio.	30,406				21					2
From 10,000 to 25,000 inhabitants:										
Ann Arbor, Mich.	14,979	9					2		6	
Beaver Falls, Pa.	13,316				3		1			
Braddock, Pa.	21,310				1					
Cairo, Ill.	15,593	4								1
Clinton, Mass.	13,075	1			1					
Coffeyville, Kans.	16,765				2				2	
Concord, N. H.	22,480	8			8					
Galesburg, Ill.	23,923	7			2					
Gardner, Mass.	16,746	3	1	1						
Harrison, N. J.	16,555				4				1	
Kearny, N. J.	22,753	9			8					1
Kokomo, Ind.	20,312	12							1	2
Long Branch, N. J.	15,057	8	1		1					
Marquette, Wis.	14,610									

1 Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.**City Reports for Week Ended Apr. 1, 1916—Continued.**

City.	Population as of July 1, 1915. (Es- timated by United States Census Bureau.)	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 10,000 to 25,000 inhabit- ants—Continued.										
Melrose, Mass.....	17,166	3					1			
Morristown, N. J.....	13,158	6			19					
Muscatine, Iowa.....	17,287	8							2	
Nanticoke, Pa.....	22,441	7								
Newburyport, Mass.....	15,195	5	1						1	
New London, Conn.....	20,771	11	2				1			
North Adams, Mass.....	22,019	6			1		1			
Northampton, Mass.....	19,846	7			3		6		1	
Plainfield, N. J.....	23,280				12	1				
Rutland, Vt.....	14,624	6								
Saratoga Springs, N. Y.....	12,842	6			1				1	
Steelton, Pa.....	15,337	7			22				1	
Wilkinsburg, Pa.....	22,361	4			28		1			
Woburn, Mass.....	15,862	5								

¹ Population Apr. 15, 1910; no estimate made.